



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



मिति: २०८३/०३/२९

विषय: दररेट उपलब्ध गराई दिने बारेको सूचना ।

प्रस्तुत विषयमा यस नगरपालिकाको आगमी आ.व. २०८३/०८४ को कृषि विकास कार्यक्रम संचालनको क्रममा कृषि क्षेत्रमा प्रयोगमा आउने तपसिल अनुसारको कृषि यन्त्र तथा उपकरण/सामग्रीहरूको बजार दर भाउ आवश्यक परेकोले ७ (सात) दिन भित्र उपलब्ध गराई सहयोग गर्नु हुन सम्बन्धित सरोकारवलाहरूमा यसै सूचनाद्वारा अनुरोध गरिन्छ ।

तपसिल

S.N.	Name of Implements With Description	Technical Specification	प्रति ईकाई मूल्य रु.		कैफियत
			अंकमा	अक्षरमा	
A	Manual Push multi crop Seeder Machine				
1	Type	Manual			
2	Hole Seeding Rate	1-2 Adjustable			
3	Seed Depth	50mm/ 60mm			
4	Seed Space	5.5 inch to 12 inch (Adjustable)			
5	Mounth Number	6 - 14 (Adjustable)			
6	Seed Box Capacity	4 Kg above			
7	No of Row Planting	Single Row			
8	Roller	single back roller .			
9	Warranty	At least 1 year warranty after acceptance.			
10	Catalogue/manual	Operation manual and Catalogue should submit.			
B	Rotavator				
1	Type	Tractor PTO operated Rotavator			
2	Power source	45 to 65 Hp above			
3	Hitch Type	Three point, CAT-II			

लेख महादुर के.सी.
विकास अधिकृत



बाणगङ्गा नगरपालिका

नगर कार्यपालिकाको कार्यालय

बाणगङ्गा, कपिलवस्तु

लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१/८३

चलानी नं.:

4	Working width (mm)	1800 to 2150 according requirement			
5	Type of blade	J/F shape with ± 25 mm overlap of blades as per demand			
6	Thickness of blade (mm)	7-8 (min.)			
7	No. of Blades	Minimum of 54 to 72 for J and F Blades (Depending on sizes)			
8	Total number of flanges	8 to 9 (Not less than) according requirement			
9	Number of blades per flange	6 to 9 (Not less than) according requirement			
10	Diameter of rotor shaft (mm) :	Not less than 90			
11	Rotor diameter (including flange and blade mounted on flange, mm)	Not less than 460			
12	Side Drive power transmission	Gear drive			
13	Depth control mechanism	Arc shape skid on both side of Rotavator			
14	Tools set	Needed.			
15	Proven Performance	The Rotavator offered must be current model manufacture for at least 1 year.			
16	Warranty	At least 1 year warranty after acceptance.			
17	Catalogue/manual	Operation manual should submit.			
C	Paddy Thresher				
1	Type	Spike tooth paddy thresher			
2	Threshing unit Diameter	543mm			
3	Threshing unit length	1800mm			

सोप बज्रदुर के.सी.
कृषि विकास अधिकृत
अधिकतस्तार आर्वा



बाणगङ्गा नगरपालिका
नगर कार्यपालिकाको कार्यालय
बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१८३
चलानी नं.:



4	Concave type	semi cyndrical			
5	Concave Length	1430mm			
6	Type of Sieve	Oscillating			
7	Number of Sieve	Not less than 3			
8	Blower Diameter	Not less than 623mm			
9	Blower Fans and Blades	Centrifugal Types fan and 3 blades			
10	Overall Dimension (L*w*H) mm	Not less than 4175*1957*1890			
11	Output Capacity	1.25 ton/hr			
12	Warranty	At least 1 year warranty after acceptance.			
13	Catalogue/manual	Operation manual should submit.			
D 18 Hp Powertiller					
1	Type	Single axle, dual purpose for both traction			
2	Engine type	Horizontal, 4-stroke single cylinder, Diesel engine			
3	Power	18hp(13 Kw Above)			
4	Engine speed	2200 rpm			
5	Bore x stroke	105mm x 115mm			
6	Cooling System	Radiator			
7	Wheel track	>=640mm			
8	minimum ground clearance	±185mm			
9	min turning radius	±900mm			
10	Specific fuel consumption(g/kwhr)	258			
11	Clutch	Manual separation gear dry type			
12	Tillage Width	±1000 mm			
13	No of Rotary Blades	28			

लेख बहादुर के.सी.
वि. विकास अधिकृत
नगर आठौं



बाणगङ्गा नगरपालिका
नगर कार्यपालिकाको कार्यालय
बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१८३
चलानी नं.:



14	Starting model	Hand-crank or Power-start or Recoiling start			
15	Fuel Tank:	12 litre or above			
16	Tools set	needed			
17	Warranty	At least 1 year warranty after acceptance.			
18	Catalogue/manual	Operation manual should submit.			
E	20 Hp Powertiller				
1	Type	Single axle, dual purpose for both traction			
2	Engine type	Horizontal, 4-stroke single cylinder, Diesel engine			
3	Power	20 Hp (14Kw Above)			
4	Engine speed	2200 rpm			
5	Bore x stroke	105mm x 115mm			
6	Cooling System	Radiator			
7	Wheel track	>=640mm			
8	minimum ground clearance	±185mm			
9	min turning radius	±900mm			
10	Specific fuel consumption(g/kwhr)	258			
11	Clutch	Manual separation gear dry type			
12	Tillage Width	±1000 mm			
13	No of Rotary Blades	28			
14	Starting model	Hand-crank or Power-start or Recoiling start			
15	Fuel Tank:	12 litre or above			
16	Tools set	needed			
17	Warranty	At least 1 year warranty after acceptance.			

लेख बहादुर के.सी.
विकास अधिकृत
भाउँ



बाणगङ्गा नगरपालिका

नगर कार्यपालिकाको कार्यालय

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१८३
चलानी नं.:



18	Catalogue/manual	Operation manual should submit.			
F	22 Hp Powertiller				
1	Type	Single axle, dual purpose for both traction			
2	Engine type	Horizontal, 4-stroke single cylinder, Diesel engine			
3	Power	22 Hp (16 Kw Above)			
4	Engine speed	2200 rpm			
5	Bore x stroke	105mm x 115mm			
6	Cooling System	Radiator			
7	Wheel track	>=640mm			
8	minimum ground clearance	±185mm			
9	min turning radius	±900mm			
10	Specific fuel consumption(g/kwhr)	258			
11	Clutch	Manual separation gear dry type			
12	Tillage Width	±1000 mm			
13	No of Rotary Blades	28 with Cage wheel			
14	Starting model	Hand-crank or Power-start or Recoiling start			
15	Fuel Tank:	12 litre or above			
16	Tools set	needed			
17	Warranty	At least 1 year warranty after acceptance.			
18	Catalogue/manual	Operation manual should submit.			
G	Cultivator				
1	Type	Spring Loaded tractor mount			
2	Source of power	Tractor			
3	length	1960 -3000 mm According to requirements			

नेपाल सहिदुर को.सी.
अधिकृत



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८१/८३

चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



4	width	970 - 1560 mm According to requirements			
5	height	1070-1350 mm According to requirements			
6	No of tine	9 to 13 According to requirements			
7	Working Width	2100 -3000 mm According to requirements			
8	Under Frame clearance	450 -550 mm According to requirements			
9	Capacity Ha/h	Not less than 0.35 to 0.5			
10	Type of Shovels	Reversible shoe			
11	Diameter of spring wire	9.5 above mm			
12	No of coil in spring	28 above			
13	No of spring per tine	2			
14	Warranty	At least 1 year warranty after acceptance.			
H	Power Spray				
1	Type	Back Pack			
2	Engine	4 stoke 5.5 hp petrol			
3	Engine RPM	3600 with load			
4	Pump Type	Diaphragm			
5	Displacement	79.7 cm ³			
6	Suction volume	13.5 to 20 lit/hr			
7	working pressure	0 - 40 kg/cm ²			
8	Hose Pipe	100 mtr(8.5 mm 5 layers) with joints			
9	Suction Hose pipe	5 meters			
10	Sprayer Gun with 3 Types of Nozzels	Hollow , Flats and Normal			

लेख बहादुर के.सी.
विकास अधिकृत
आर्वा



बाणगङ्गा नगरपालिका

नगर कार्यपालिकाको कार्यालय

पत्र संख्या: ०८२१८३

चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



11	Proven Performance	The power Spray offered must be current model manufacture for at least 1 years .			
12	Warranty	At least 1 year warranty after acceptance.			
13	Catalogue/manual	Operation manual should submit.			
I	5 Hp Mini Tiller				
1	Engine Type	4 stroke Diesel Engine			
2	Cylinder	Single Cylinder Air cooled			
3	Horse power (output)	5hp above (± 3.4 Kw)			
4	Displacements	± 0.245 L			
5	Rated RPM	3600			
6	Bore * stroke	$\pm 73*59$			
7	Engine oil	1 litres (10w30) above			
8	Weight	Not less than 112 kg			
9	Transmission And Speed	3(2 Forward and 1 Reverse) Combination of constant and sliding Mesh gear			
10	PTO drive	Optional			
11	Tilling depth	100mm above			
12	Tilling width	900 mm above			
13	No of rotary blades	Not Less than 24 Blades Cage wheel			
14	Start	Recoiling Manual Start			
15	Tools set	Needed			
16	Warranty	1 year			
17	Catalogue/manual	Operation manual should submit			
J	6 to 7 Hp Mini Tiller				
1	Engine Type	4 stroke Diesel Engine			
2	Cylinder	Single Cylinder Air cooled			
3	Horse power (output)	± 6 hp above (± 4.4 Kw)			

के.सी.
...



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



4	Displacements	± 0.300 L			
5	Rated RPM	3600			
6	Bore * stroke	±78*62			
7	Engine oil	2.5 litres (15w40) above			
8	Weight	Not less than 125 kg			
9	Transmission And Speed	3(2 Forward and 1 Reverse) Combination of constant and sliding Mesh gear			
10	PTO drive	Optional			
11	Tilling depth	100mm above			
12	Tilling width	1000 above			
13	No of rotary blades	Not Less than 32 Blades Cage wheel			
14	Start	Recoiling Manual Start			
15	Tools set	Needed			
16	Warranty	1 year			
17	Catalogue/manual	Operation manual should submit			
K 9 Hp Mini Tiller					
1	Engine Type	4 stroke Diesel Engine			
2	Cylinder	Single Cylinder Air cooled			
3	Horse power (output)	± 9 hp above (± 6.3 Kw)			
4	Rated RPM	3600			
5	Bore * stroke	±86*72			
6	Engine oil	2.5 litres (15w40) above			
7	Weight	Not less than 135 kg			
8	Transmission And Speed	3(2 Forward and 1 Reverse) Combination of constant and sliding Mesh gear			
9	PTO drive	Optional			
10	Tilling depth	100mm above			
11	Tilling width	1050 above			



बाणगङ्गा नगरपालिका
नगर कार्यपालिकाको कार्यालय
बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१८३
चलानी नं.:



12	No of rotary blades	Not Less than 32 Blades with Cage wheel			
13	Start	Recoiling Manual Start			
14	Tools set	Needed			
15	Warranty	1 year			
16	Catalogue/manual	Operation manual should submit			
L	Brush Cutter				
1	Engine type	Air cooled, Four stroke			
2	Net Weight	9.0 Kg			
3	Engine Model	N/A			
4	Cylinder volume	42.7cc			
5	Cylinder diameter	40mm			
6	Power output	1.5kw/2.2hp			
7	Max speed	10000 r/min			
8	Idling speed	2800±150 r/min			
9	Spark-plug	CDI			
10	Carburetor	diaphragm type			
11	Fuel capacity	1200ml			
12	Fuel consumption	610 mg. kw/h			
13	Overall Length	1730mm			
14	Starting System	Recoil			
15	Blade	40T Iron / Alloy			
16	Warranty	1 year			
17	Catalogue/manual	operation manual should submit			
M	16lt Battery cum Manual Knapsack Sprayer				
1	Type	Battery operated cum manual back pack(Knapsack) (Two in one)			
2	Material Tank	HDPE (Plastic)			
3	Tank Volume	16 Liters above			

लेख बहादुर के.सी.
नगर विकास अधिकृत



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



4	Pump	Poly propylene Knapsack and Submersible pump			
5	Nozzle	Plastic or Metal			
6	No of Nozzle	3 Type			
7	Nozzle types	Conical, Sectorial, Four Hole Nozzle.			
8	Battery	12 v 12Ah Lithium Battery with Charger			
9	No of piston in pump	1 for manual operations			
10	Pressure and Flow	0.10 -0.85MPA (3.6 LPM to 4.5 LPM) (100psi to 110 Psi)			
11	Warranty	1 year			
12	Catalogue/manual	operation manual should submit			
N	3 Hp Combine Mill				
1	Type	Combine mill			
2	Match Power	2.2kw (3HP)			
3	Rated Voltage	220 v			
4	Phase	Single			
5	Motor Speed	2800 RPM			
6	Main Shaft spindle speed	1600 RPM Milling and 4800 RPM crushing			
7	Productivity (kg/hr)	180 kg milling and 250 kg crushing			
8	Hammar Spice Number of crush	12			
9	Warranty	1 year			
10	Catalogue/manual	operation manual should submit			
O	Mini tiller Reaper				
1	Power	Mini tiller 7 HP to 9 Hp			
2	Capacity	±2 Acre/ Hr			
3	Cutting Width	1000 mm			

लेख बहादुर के.सी.
अधिकृत



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



4	Minimum Stubble Height	≥ 25 mm			
5	Crops	Rice and wheat			
6	Crop Divider	3 with star wheels			
7	Operation	Belt and pulley of minitiller			
8	Warranty	1 year			
9	Catalogue/manual	operation manual should submit			
P	Wheat Thresher				
1	Type	Tractor PTO operated			
2	Features	Suitable for wheat.			
3	Power Required	Tractors above 35 Hp			
4	Capacity	≥ 1000 kg/hr			
5	Threshing efficiency	≥ 95 percentage			
6	Cleaning efficiency	≥ 95 percentage			
7	size	$\geq 30 \times 36$			
8	Power transmission system	from PTO shaft to main shaft through grooved pulley and V-belt.			
9	Crop Feeding	Direct hopper type/chute type or conveyor belt type			
10	Threshing cylinder or Drum	rasp-bar or spike tooth cylinder with suitable number of blades.			
11	PTO input speed	540 rpm			
12	Maximum Rpm	700-800 rpm			
13	No. of sieves	at least 2			
14	No. of fans	≥ 2			
15	Duct	minimum two; primary duct for removing major portion of straw dust, other foreign matter and secondary for final cleaning.			
16	Standard Accessories	PTO shaft, Tool box, Grease gun			

[Signature]

लेख बहादुर के.सी.



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



17	Gear box type	two joints			
18	Overall weight	≥ 1150 kg			
19	Transportation wheel	2 no.s of pneumatic/nylon type tyre			
20	Certification	Respective country's certification and test report are compulsory			
21	Color	Standard			
22	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
Q	Corn Sheller				
1	Type	Semi Automatic			
2	Capacity	± 150 kg /hr			
3	Power Required and Source	1 Hp Single phase motor			
4	Material	Mild Steel			
5	Dimension	$\pm (545*620*280)$ mm			
6	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
R	Self Propelled Reaper				
1	Type	Self propelled			
2	Power	6 hp or more.			
3	Engine:	4- stroke single cylinder, Diesel Engine			
4	Rated speed	3600 rpm			
5	Cooling system:	water coolant Radiator type			
6	Cutting width:	1.2 meters			
7	Cutting height:	Adjustable (5-40 cm)			
8	Type of cutting unit:	Cutter bar with serrated V-shaped Blade			

के.सी.
अधिकृत



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



9	Conveyor:	Chain type (2 in numbers)			
10	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
11	Catalogue/manual	operation manual should submit			
S	Power tiller operated Reaper				
1	Type	Power tiller operated			
2	Power	15 hp above power tiller			
3	Cutting width:	1.2 meters			
4	Cutting height:	Adjustable (5-40 cm)			
5	Type of cutting unit:	Cutter bar with serrated V-shaped Blade			
6	Conveyor:	Belt type			
7	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
8	Catalogue/manual	operation manual should submit			
T	Jab Planter				
1	Type	Double narrow beaks			
2	Planting Capacity	2 hac /day			
3	Hieght of Planter	90cm			
4	Fertilizer Hopper size	2.5 kg			
5	Seed Hopper Size	1.5 kg			
6	Seed Metring	single and Double			
7	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
8	Catalogue/manual	operation manual should submit			
U	Earth Auger				
1	Power out Put	Not Less then 2.5KW			
2	Engine Displacement	Not Less then: 60cc.			

नगर कार्यपालिका
बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१/८३
चलानी नं.:

बाणगङ्गा नगरपालिका
नगर कार्यपालिकाको कार्यालय
बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



3	Drillbit Diameter	100/200/350 mm			
4	Weight	Not Less then: 12 Kg.			
V	WEIGHING MACHINE				
1	Type	Electronic Weighing Machine			
2	Display Type	Digital			
3	Material	Mild Steel/stainless steel/Iron.			
4	Weighing Capacity	100kg			
5	Battery Backup	70-80hrs.			
6	size	49x57cm			
7	Accuracy	10gm			
8	Directly Plug	220V Power Cord			
9	Platform size	400x400mm			
10	Warranty	1 year			
11	Catalogue/manual	operation manual should submit			
W	Four Wheel Mini Tiller				
1	Engine Type	4 stroke Diesel Engine			
2	Rated power	7.5kw/3600 rpm or above			
3	Displacements	456cc or above			
4	Starting Moad	E-start			
5	Deriving moad	Tw0 wheel drive 4 while drive			
6	Transmission type	Gear Transmission			
7	Gear shift	Walking:1/2/3/0/-1, Tilling: 1/2/3/0/-1			
8	Rpm of tilling blades	44.5/105/156/-56			
9	Tyre Size	Front :4.00-8, Rear: 5.00-12, Iron wheel: D480			
10	Max. Walking speed	12.3 km/h			
11	Tilling blades	4-4((32 blades)			
12	Tilling Width (mm)	1350			
13	cultivating depth(mm)	>120			

लेख बहादुर के.सी.
सि वि. विकास अधिकृत
सुनसरी आठौं



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



14	Machine size	1660*990*1060			
15	Tool set	needed			
16	Warranty	1 year			
17	Catalogue/manual	Operation manual should submit			
X	Duble head Corn Sheller				
1	Type	Semi Automatic			
2	Capacity	± 150 kg /hr			
3	Power Required and Source	1.5 Hp Single phase motor			
4	Material	Mild Steel			
5	Dimension	± (545*620*280) mm			
6	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
Y	Disc Harrow				
1	Frame	M 75mm*10 angle			
2	Type of Disc	Plane			
3	Disc Diameter	560 mm or Above			
4	No of Disc	16			
5	Dis Spacing	228 mm or above			
6	Bearing Hubs	6 Nos			
7	Working Depth	150 mm			
8	Working Length	1790 mm above			
9	Weight of Harrow	500kg or above			
10	Power Required	45 to 60 Hp			
11	Tools set	Needed.			
12	Proven Performance	The Harrow offered must be current model manufacture for at least 1 years.			
13	Warranty	At least 1 year warranty after acceptance.			

लेख बहादुर देसाई
कृषि विकास अधिकृत
मन्त्रालय आठौं



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



14	Catalogue/manual	Operation manual should submit.			
Z	Electric Agricultural Motor water Pump				
1	Motor power	2Hp Single phase			
2	Rated power	1.5 Kw			
3	Voltage	140 to 220 v			
4	Motor speed	2800 RPM above			
5	Material of Motor	cast iron with bronze impeller and copper binding			
6	Head and Suction	7to 10 m above			
7	Discharge Range	9 to 13 LPS			
8	Delivery Size	65mm to 80 mm			
9	Suction Size	80 mm			
10	Proven Performance	The motor offered must be current model manufacture for at least 1 years.			
11	Warranty	At least 1 year warranty after acceptance.			
12	Catalogue/manual	Operation manual should submit.			
Aa	Ridger				
1	Tractor Power	50 hp and above.			
2	Hitch type	3-point linkage.			
3	Length	2000 to 3000 mm above			
4	Width	1000 mm or above			
5	Height	1100 mm			
6	Wings span adjustment	300 to 600 mm above			
7	No of bottom	3 or above			
8	Row spacing	adjustable 610 to 1000 mm			
9	Weight	min 233 kg or above			
10	Capacity	2 to 4 ha /day			
11	Tools set	Needed.			

लेख बहादुर के.सी.
विकास अधिकृत
भाही



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



12	Proven Performance	The rider offered must be current model manufacture for at least 1 years.			
13	Warranty	At least 1 year warranty after acceptance.			
14	Catalogue/manual	Operation manual should submit.			
Bb Manual Chaff Cutter					
1	Type	Manual Operated Chaff Cutter			
2	Over all width (mm)	300 or above			
3	Overall length (MM)	500 or above			
4	Wheel Diameter(mm)	600 or above			
5	Capacity kg/hr	100 or above			
6	Weight kg	50 or above			
7	Cutting Blade and Body Material	High carbon steel/ MS / Cast Iron			
8	Blade size (mm)	200 or above			
9	Number of Roller	2 Roller			
Cc 3 Hp Mini power weeders					
1	Engine Type	4 stroke Petrol Engine			
2	Cylinder	Single Cylinder Air cooled			
3	Horse power (output)	3hp above			
4	Displacements	± 63 cc			
5	Rated RPM	3600			
6	Fuel Capacity	750 ml			
7	Attachment	Furrow opener			
8	Tilling depth	20 cm above			
9	Tilling width	40cm above			
10	No of rotary blades	Not Less than 16 Blades			
11	Start	Recoiling Manual Start			
12	Tools set	Needed			

लेख बहादुर के.सी.
कृषि विकास अधिकृत
कपिलवस्तु



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२१८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



13	Warranty	1 year			
16	Catalogue/manual	Operation manual should submit			
Dd	Electric Chaff Cutter				
1	Over all breath (mm)	300 or above			
2	Overall length (MM)	1100 or above			
3	Wheel Diameter(mm)	760 or above			
4	Capacity kg/hr	200 or above			
5	Weight kg	135 with motor or above			
6	Number of Roller	3 Rollers			
7	Motor (power)	2 H.P Single Phage Electric motor			
8	Motor RPM	1440 RPM			
9	V-Belt	B- 102			
10	Blade size (mm)	500 or above			
11	Cutting Blade	2 Pcs (1 Set) High carbon steel			
12	Material of Machine	High Carbon Steel, MS and Cast Iron			
Ee	CD Model 4 or above Hp Water Horizontal				
1	Type	4.5 Hp diesel Engine water pumpSet (MS type)			
2	Rate Power	2.7 Kw			
3	Rate B.H.P	≥4 HP			
4	Rate RPM	2600 RPM			
5	Method of Starting	Hand-crank Starting			
6	Cooling System	Air Cooled			
7	Fuel Tank Capacity	Minimum 4 Lt			
8	Pump type	Centrifugal water pump			
9	Suction and Discharge Diameter (mm)	80*80			
10	Water Head	10 meter			

लेख बहादुर के.सी.
कृषि विकास अधिकृत
कपिलवस्तु गाउँ



बाणगङ्गा नगरपालिका नगर कार्यपालिकाको कार्यालय



पत्र संख्या: ०८२/८३
चलानी नं.:

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



11	L.P.S	12 L/S			
12	Max Suction lift	8 L/meter			
13	Proven Performance	The Pump set offered must be current model manufacture for at least 1 year. Complete set with wheel and axle.			
14	Warranty	At least 1-year warranty with ISI/ISO certified.			
15	Catalogue/manual	Operation manual with specification should submit.			
Ff	5Hp Water PumpSet (Air Cooled)/Mechanical Seal Type				
1	Type	5 Hp Petrol Engine Engine water pumpSet (MS type)			
2	Rate Power	2.7 Kw or above			
3	Rate B.H.P	≥ 5 HP			
4	Rate RPM	3600 RPM			
5	Method of Starting	Recoiling Starting			
6	Cooling System	Air Cooled			
7	Fuel Tank Capacity	Minimum 3 Lt			
8	Pump type	Centrifugal water pump			
9	Suction and Discharge Diameter (mm)	80*80 (with Bend and Nipple Sets)			
10	Water Head	13 meter			
11	L.P.S	18 L/S			
12	Max Suction lift	8 L/meter			
13	Proven Performance	The Pump set offered must be current model manufacture for at least 1 year. Complete set with wheel and axle.			
14	Warranty	At least 1-year warranty with ISI/ISO certified.			

लेख बहादुर के.सी.
कृषि विकास अधिकृत
अधिवक्ता कार्यालय



बाणगङ्गा नगरपालिका

नगर कार्यपालिकाको कार्यालय

बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१८३
चलानी नं.:

15	Catalogue/manual	Operation manual with specification should submit.			
Gg	Milking Machine Single Bucket with Trolley				
1	Type	Single Bucket with Trolley			
2	Application	For milking one animal at a time			
3	Power	0.5 Hp Single Phase 220 to 230 V			
4	Capacity Lt/min	100Lpm			
5	Pilsation Ratio	60-40			
6	Suitabilty	Milking 1-12 Cattle			
7	Bucket Capacity	20Ltr			
8	Warranty	1-year warranty with ISI/ISO certified.			
9	Catalogue/manual	operation manual should submit			
Hh	High Pressure Washer				
1	Motor	Copper wire			
2	Max watts	2200 W			
3	Rotating Speed	600L/h			
4	Max Pressure	145Bar			
5	System	Auto Stop System			
6	Pipe	8 Meter			
7	Rpm	2800			
8	Power	1600 W			
Ii	Disc Dana Mill				
1	Capacity	50 to 200 kg/hr			
2	Overall Dimension (mm)	Not less than 42*40*85			
3	Mesh diameter (mm)	0.6 to 12			
4	No of oblate	3pc			
5	No of Knuckle	3 to 4			
6	Body material	Cqarbon Steel			

लेख बहादुर के.सी.
विकास अधिकृत



बाणगङ्गा नगरपालिका
नगर कार्यपालिकाको कार्यालय
बाणगङ्गा, कपिलवस्तु
लुम्बिनी प्रदेश, नेपाल



पत्र संख्या: ०८२१८३
चलानी नं.:

7	Motor power	1.5/2 (Kw/Hp)			
8	Warranty	1 year			

लेख बहादुर के.सी.
कृषि विकास अधिकृत
अधिकृतस्तर आठौं

Bangalga_0821083