बाणगङ्गा नगरपालिका

नगर कार्यपालिकाको कार्यालय

बाणगङ्गा, कपिलवस्तु

लुम्बिनी प्रदेश, नेपाल

पत्र संख्या:०८२।८३
चलानी नं.:

दोस्रो पटक प्रकाशित

मितिः २०८२/०७/२३

दररेट पेस गर्ने सम्बन्धी सूचना।

विद्यालय शिक्षा क्षेत्र योजना (SESP) अन्तर्गतको शिक्षा शसर्त तर्फको आ.व २०८२/०८३ को स्वीकृत वार्षिक कार्यक्रम सामुदायिक विद्यालयका छात्राहरुलाई निःशुल्क सेनिटरी प्याड व्यवस्थापन कार्यक्रम कार्यान्वयनार्थ सेनिटरी प्याड (वितरण तथा व्यवस्थापन) कार्यविधि २०७६ को अनुसूची-१ तथा शिक्षा तथा मानव स्रोत विकास केन्द्र, सानोठिमी, भक्तपुरको पत्र संख्या ०७६/०७७, च.नं १००, मिति २०७७/०७/२१ को सेनिटरी प्याड वितरण तथा व्यवस्थापन) कार्यविधि २०७६ मा संशोधन गरिएको विषय सम्बन्धको पत्रमा उल्लिखित संशोधनसहितको तपसिल बमोजिमको स्पेसिफिकेसन/मापदण्ड अनुसारको सेनिटरी प्याड खरिद प्रयोजनका लागि लागत अनुमान तयार गर्नुपर्ने भएकोले पुनः यो सूचना प्रकाशन भएको मितिले ७ (सात) दिन भित्र कार्यालय समयमा प्रति प्याकेट दररेट खुलाई निम्न कागजातहरु संलग्न गरी दररेट उपलब्ध गराइदिनुहुन सम्बन्धित इजाजतप्राप्त फर्म/संस्था/आपूर्तिकर्ताहरुमा अनुरोध छ ।

तपसिलः

क्र.सं	विवरण	सेनिटरी प्याडको स्पेसिफिकेशन/मापदण्ड	इकाइ	दर	कैफियत
१	सेनिटरी प्याड	**Type and physical finishing:** Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.	प्याकेट		
		Raw Material permitted: a. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.			
		Size: size including minimum (240±20 mm length and 60 to 75 mm width.			
		Absorbency: The sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.			

भक्तिराम नरार्पित
प्रमुख प्रशासकीय अधिकृत

पत्र संख्या:०८२।८३
चलानी नं.:

	सेनिटरी प्याड	**Disposability:** Disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.	प्याकेट		
		Colour: The product shall be white in colour and shall be almost odourless.			
		PH value: free from acid and alkali, PH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)			
		Hygiene testing requirement: Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887 (Part 2).			
		The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.			
		Packaging type: at least 90% Compostable pack, protecting package to product			
		Packaging size: minimum 8 pads per pack			
		Biodegradability or Composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory			

संलग्न गर्नुपर्ने कागजात:

१. व्यवसाय (फर्म/संस्था) दर्ता र नविकरण प्रमाणपत्रको प्रतिलिपि,
२. आ.व २०८१/०८२ को कर चुक्ता प्रमाणपत्रको प्रतिलिपि,
३. मूल्य अभिवृद्धि कर (भ्याट) मा दर्ता भएको प्रमाणपत्र,
४. स्थायी लेखा नं प्रमाणपत्रको प्रतिलिपि ।
५. दररेट पेस गरेको भन्ने वेहोराको पत्र (प्रति इकाइ दररेट खुल्ने गरी) ।

बोधार्थ:
श्री सूचना तथा प्रविधि शाखा: Website मा Upload गरिदिनुहुन ।

भक्तिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत